

## AUTOIMMUNITY

---

### HEP-2 - IFA

#### ANAFLUOR HEp-2

1662/10 x 6 Wells-1660/10 x 12 Wells-1624/20 x 12 Wells-6624/50 x 12 Wells

<b>Intended Use</b>	For the detection of Anti-Nuclear Antibodies.
<b>Method</b>	IFA
<b>Controls Included</b>	Homogeneous Positive, Endpoint Reference, Negative Controls
<b>Incubations</b>	30 min + 30 min/RT
<b>Feature &amp; Benefits</b>	Increased metaphase mitotics. M.A.R.I.A. CD-ROM Training Program Available.
<b>Conjugates</b>	FITC
<b>Reading</b>	Fluorescent Microscope
<b>Sample Types</b>	Serum

#### ANAFast HEp-2

1670/20 x 12 Wells-6670/50 x 12 Wells 6670/50 x 12 Wells

<b>Intended Use</b>	For the detection of Antinuclear Antibodies.
<b>Method</b>	IFA
<b>Controls Included</b>	Homogeneous Positive, Endpoint Reference, Negative Controls
<b>Incubations</b>	15 min + 15 min/RT
<b>Feature &amp; Benefits</b>	Increased metaphase mitotics. M.A.R.I.A. CD-ROM Training Program Available.
<b>Conjugates</b>	FITC
<b>Reading</b>	Fluorescent Microscope
<b>Sample Types</b>	Serum